## Missouri Department of Transportation



Paula Gough, P.E., District Engineer

Northeast District
Macon Regional Office
26826 U.S. Highway 63
Macon, MO 63552
(660) 385-8245
Fax (573) 526-3169
Toll free 1-888 ASK MoDOT
www.modot.mo.gov

## **TABULATION**

## **SHEET**

**General Services** (Procurement) Division

Thank you for your response to our Request # NE14-02B-R2. For your information, the following is a tabulation of all responses received. This solicitation was awarded to: VariTech Industries. If you have any questions, please contact me at the address/phone number shown above. Buyer: William D. "Bill" Noyes, CPPO, CPPB, Senior Procurement Agent Date/Time of posting: July 16, 2013 / 2:30 PM

Quantity	U/M	Description	VariTech Industries, Inc.	Chemical Containers, Inc.
4	Each	535 gallon horizontal polyethylene free standing leg tanks with 2-inch discharge outlet fittings and with tie-down hoops AND skids	1,690.00 = 6,760.00	3,391.01 = 13,564.04
4	Each	1035 gallon horizontal polyethylene elliptical leg tanks with 2-inch discharge outlet fittings and with tie-down hoops, AND skids with leg stands	4,138.00 = 16,552.00	5,808.28 = 23,233.12
13	Each	2600 gallon horizontal polyethylene elliptical leg tanks with 2-inch discharge outlet fittings and with tie-down hoops, AND skids with leg stands	8,080.00 = 10,5040.00	10,276.71 = 133,597.23
1	Each	2600 gallon horizontal polyethylene elliptical leg tanks with 4-inch discharge outlet fittings & with tie-down hoops, AND skids with leg stands	8,180.00 = 8,180.00	10,276.71 = 10,276.71
TOTAL ORDER EXTENSION:			\$136,532.00	\$180,671.10
Delivery Time (A.R.O. = After Receipt of Order):			6-7 weeks	45 days

Missouri Filter & Process Equipment Co. submitted a "No Bid" response. Notification of the online posting of this solicitation was also sent to Indelco Plastics, National Tank Outlet, and Snyder Industries, but no responses was received from those vendors. Notification was also sent to the State of Missouri Office of Administration's Office of Equal Opportunity (OA OEO).